



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

ZODIAC 920 OB – Enforcement

Rev. February 2003
TECHNICAL DATA SHEET



THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

[ZODIAC - Military & Professional Products Division](http://www.zodiacmilpro.com/distributors)

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

ZODIAC 920 OB - Military, Enforcement, Rescue, Industry

Rev. August 2002
TECHNICAL DATA SHEET

Technical Specifications

Description	Specification
Length overall	30.00'
(does not include outboard)	9.14 m
Beam max.	10.42'
(inflated)	3.18 m
Draft	24 in
(engine tilted up)	0.61 m
Freeboard aft	26 in
(@ max. weight w/ no crew)	0.66 m
Freeboard amidship	27 in
(@ max. weight w/ no crew)	0.69 m
Deadrise aft	24 °
Deadrise amidship	25 °
Deadrise forward	32 °
Length rigid hull	25.83'
(from transom top to bow)	7.87 m
Cockpit length	21.50'
(not including motorwell)	6.55 m
Cockpit width	6.33'
(horizontal deck surface)	1.93 m
Cockpit depth	21 in
(top of tube to deck)	0.53 m
Tube diameter	24 in
	0.61 m
Number of chambers	7
Tube volume	179 cu.ft.
	5081 liters

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION



920 OB Technical Specifications - Continued

Description	Specification
Hull material	ALUMINUM
Sponson material	1880 dtx
Max. Horsepower	600
Min. horsepower to plane	225
Transom height - Single	N/A
Transom height - Twin	25 in
Fuel capacity - main	270 US gal.
	1022 liters
Fuel capacity - auxiliary	N/A
	N/A
Person capacity	30A + 0C
Weight capacity	8500 lb.
(including OBM & fuel)	3863 kg
Payload	5800 lb.
(excluding OBM & fuel)	2636 kg
Approx. hoisting weight	5400 lb.
(max. weight w/ no crew)	2454 kg

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>





ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

ZODIAC 920 OB - Military, Enforcement, Rescue, Industry

Rev. August 2002
TECHNICAL DATA SHEET

H920 OB BASIC BOAT

- 5086 aluminum alloy hull and deck (unpainted), non-skid/self-draining deck, full height transom, outboard motor bracket, bow post.
- Below deck cable routing, hull drain, high capacity deck drain scuppers, bow eye, 2 SS transom tie-down eyes, 3 lift points (fwd point in under deck storage) under deck storage accessed through fwd deck hatch.
- Removable 7 chamber inflatable collar, Neoprene/Hypalon coated fabric (standard colors are orange, gray, black or white), full-length lifeline on D-ring patches, rub strakes.
- Foot pump with hose, collar repair kit, operator's manual.

Options

Option Groups	Option Subgroups	Descriptions	Comments	Option Number
BOAT				
	BASIC			
		BASIC BOAT, SINGLE OR TWIN	See Basic Boat Description for details of equipment included.	Z-H-9230000
COLLAR OPTIONS				
	DIVER DOOR			
		DIVERS DOOR UPGRADE, 40 INCH	Patented	Z-H-920DD40P
		DIVERS DOOR UPGRADE, 50 INCH	Patented	Z-H-920DD50P
	INFLATION			
		AUTOINFLATE, DIVEDOOR TUBE 12V	Patented	Z-H-0001401-1
		AUTOINFLATE, STANDARD TUBE 12V	Patented	Z-H-0001401
		TUBE, IC VALVE UPGR, 7 CHAMBER	Upgrade to intercommunicating inflation valves.	Z-H-920IC
		TUBE, RELIEF VALVES, 7 CHAMBER	Over-pressure relief valves.	Z-H-9206895-M
	LIFELINES			
		TUBE, INBOARD LIFELINE	Additional lifeline installed along inboard sides of collar.	Z-H-7336099
		TUBE, LACING CUFF UPGRADE	Lifeline installed on full length lacing cuff.	Z-H-920LC
	MISC			
		TUBE, BOAT HOOK, 8' W/STORAGE	8 foot boat hook with storage/attachment patches.	Z-H-4407501-1
		TUBE, 6 IN. LETTERS (PR)	6 inch high, painted on characters. Maximum of 12 characters and/or numbers (same characters/numbers each side).	Z-H-4408591

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		TUBE, 4 IN. LETTERS,FABRIC(PR)	4 inch high, glued on fabric characters, with contrasting color fabric surround. Maximum of 12 characters and/or numbers (same characters/numbers each side).	Z-H-4408591-1
		TUBE, 6 IN. LETTERS,FABRIC(PR)	6 inch high, glued on fabric characters, with contrasting color fabric surround. Maximum of 12 characters and/or numbers (same characters/numbers each side).	Z-H-4408591-2
		TUBE, STEPTREAD, TREADMASTER	One (1) piece only, 8 3/4 X 23 1/2 inches, black	Z-H-4402790-1
	<i>RUGGEDIZING</i>			
		DURARIB II, UPGRADE	Patented. Neoprene/Hypalon coated fabric shell with foam insert, and internal air bladder.	Z-H-923D2
		TUBE, BOW SKIRT, HD BLK FABRIC	Black, 2-ply fabric nosepiece. Only available with Lacing Cuff option.	S-B-923001
		TUBE, HD UPGRADE, BLACK	Includes: 2 pair tube handles, 2 pair rubstrake type step treads, 1 pair mooring d-ring, and 1 additional row rubstrake <590, OR, 2 additional rows rubstrake >= 590.	Z-H-920HDU
CONSOLE				
	<i>CABIN</i>			
		CABIN, LARGE, SM CHART TABLE	Includes: exterior and interior handrails, 3 dome lights (1 red), full length wire loom overhead, cabin drains, carbon monoxide detector, positive pressure ventilation, opening roof hatch/window, Espar forced air diesel heater with additional electric blower driven defroster, windshields with wiper/washer system, sliding side windows, small chart table, aft bulkhead, strobe extension, 2 SS antenna base ratchets, and 2 articulated electronics display mounts. Must order door option separately. Default paint color is same as deck color.	Z-H-9239300-5
		CABIN, SMALL	Includes: exterior and interior handrails, dome light, full length wire loom overhead, cabin drains, carbon monoxide detector, roof vent, Espar forced air diesel heater with additional electric blower driven defroster, windshields with wiper/washer system, sliding side windows, strobe/search light mast. Must order aft door/bulkhead option separately. Default paint color is same as deck color.	Z-H-7339399
	<i>CONSOLE</i>			
		CNSL, FC HELM, ALUM	Default paint color is same as deck color.	Z-H-6347400
		CNSL, Mk2 DELTA W/CTRL POST	Inline console with seating for 1 person, hinged top, internal storage, and separate deck mounted post for binnacle control. Black, Gray, Orange, or White	Z-H-6307399-2
		CNSL, STANDUP, ALUM	Aluminum standup console with windshield. Default paint color is same as deck color.	Z-H-6307492

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		CNSL, STANDUP, ALUM W/FLD R FR	Aluminum standup console. Includes a forward folding radar frame with windshield, side windows/curtain. Default paint color is same as deck color.	Z-H-6307492-3
		CNSL, STANDUP, GRP	GRP standup console with windshield. Black, Gray, Orange, or White	Z-H-6307494
		CNSL, STANDUP, LARGE, GRP	Large GRP standup console with windshield. Black, Gray, Orange, or White	Z-H-7337499
		CNSL, STANDUP, WIDE, ALUM	Wide aluminum standup 2 person console with windshield. Default paint color is same as deck color.	Z-H-2207498
		CNSL, STDUP,WIDE,ENCL W/EL BOX	Wide aluminum standup 2 person console with integrated handrails, electronics box, windshield with wiper, electric defroster, forward quarter side windows, extra long extended aluminum canopy top, and aft support struts. Open to aft and sides. Default paint color is same as deck color.	Z-H-7367499-3
	<i>POD</i>			
		POD, NAV, LARGE, ALUM	Stand alone aluminum pod (no seat) for Nav/Com items (20 L x 14 W x 53 H inches) Default paint color is same as deck color.	Z-H-6349200-2
		POD, Mk2 DELTA NAV, GRP	Inline Nav/Com pod with seating for 1 person, hinged top, internal storage. Black, Gray, Orange, or White	Z-H-6307399-3
CONSOLE OPTIONS				
	<i>CABIN DOORS</i>			
		ACRYLIC DOOR PORT, LG CAB	Aft port acrylic door and stbd sliding window.	Z-H-9219399-6
		ACRYLIC DOOR STBD, LG CAB	Aft stbd acrylic door and port sliding window.	Z-H-9219399-5
		BHD W/ACRYLIC DOOR, SM CAB	Aft bulkhead with port acrylic door and stbd window.	Z-H-7349398
	<i>CABIN MISC</i>			
		CHART TABLE DRAWER, LG CAB	Chart drawer that fits under chart table.	Z-H-9239300-2
		CRANE, LG CABIN	Mounted on port aft and includes electric winch.	Z-H-9232098
		P6 PUMP RECESS SHORT, LG CAB	Recess (open to aft deck) in aft bulkhead for P6 pump. Includes side seating with cushions for 1 person inside cabin.	Z-H-9202199-2
		SIDE TOWING CLEATS, LG CABIN	6-12 inch cleats: 2 on transom top, 2 on aft cabin sides, 2 on foredeck sidewalls.	Z-H-9207999
		ACOUSTIC LINING, LG CAB	Acoustic mitigation lining of inside of cabin. Also gives some thermal insulation.	Z-H-9239300-4
		ACOUSTIC LINING, SM CAB	Acoustic mitigation lining of inside of cabin. Also gives some thermal insulation.	Z-H-7339399-2
	<i>MATS</i>			
		ANTI FATIGUE MATTING, LG CAB	Shock absorbing rubber floor mat.	Z-H-9229399-1
		ANTI FATIGUE MATTING, SM CAB	Shock absorbing rubber floor mat.	Z-H-7339399-1
	<i>T-TOP</i>			
		T-TOP, ALUM STANDUP CNSL	Aluminum pipe framework with electronics box. fabric canopy. and aft support struts.	Z-H-5902093

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		T-TOP, ENCLOSED, GRP STANDUP	Aluminum framework with fabric canopy, aft support struts, windshield with forward quarter side windows, open to aft and sides.	Z-H-5912094
		T-TOP, LARGE GRP STANDUP CNSL	Aluminum pipe framework with electronics box, fabric canopy, and aft support struts.	Z-H-7332093
BOLSTER/SEATS				
	<i>BOLSTERS</i>			
		BOLSTER, BASIC LEANING	2 person pipe frame leaning bolster/seat.	Z-H-6302694
		BOLSTER, DFO SEAT/BOL W/STOR	2 person leaning bolster with top that flips back to convert unit into seat. Integrated storage with 7.8 cubic feet, 0.22 cubic meter capacity.	Z-H-7353598
		BOLSTER, LEANING DROP BOTTOM	1 person freestanding single pole leaning bolster with downward folding seat. Designed for use with console that has recess for knees while in seated position.	Z-H-7343594
		BOLSTER, LEANING W/STORAGE	2 person leaning bolster with integrated storage. 5.1 cubic feet, 0.144 cubic meter capacity.	Z-H-5907791
		BOLSTER, ONE MAN LEANING	1 person freestanding single pole leaning bolster.	Z-H-5912593
		BOLSTER, TWO MAN LEANING	2 person freestanding twin pole leaning bolster.	Z-H-5922593
<i>ELECTRONICS BOX</i>				
		ELECTRONICS BOX, FC JOCKY SEAT	Bolts to the front of a FC Jockey Seat, and includes a hinged top with acrylic window.	Z-H-7349295-2
	<i>HANDLE</i>			
		HANDLE, FWD, FOR FC JOCKY SEAT	Forward grab handle for FC jockey seat. Needed whenever a seat row ends with nothing else installed forward of seat.	G-C-5900695-1
<i>SEATING</i>				
		SEAT, CREW, (1) CABIN PORT	Non-Suspension seat mounted on top of a frame base, and includes integrated footrest.	Z-H-9203598-2
		SEAT, CREW, (2) CABIN PORT	2 Non-Suspension seats mounted on a common storage base, with integrated footrests. 17.1 cubic feet, 0.486 cubic meter capacity.	Z-H-9203598
		SEAT, AFT STOR FOR BASIC BOL	Seat/footlocker. Designed for use with basic bolster, but can be used separately. 4.4 cubic feet, 0.126 cubic meter capacity.	Z-H-6302194
		SEAT, FC JOCKEY W/TALL BACKRST	655 mm high, with tall, bolt on backrest	Z-H-9239200-2
		SEAT, FC JOCKEY, ALUM		Z-H-7349295
		SEAT, FOOT LOCKER (3.7 CU. FT.)	Seat/footlocker. 3.7 cubic feet, 0.105 cubic meter capacity.	Z-H-5952194
		SEAT, JUMP, CABIN	Jump seat that mounts on cabin wall, and hinges up for flush storage.	Z-H-7332694
		SEAT, STORAGE, CABIN PORT	Storage seat. 8.7 cubic feet, 0.248 cubic meter capacity.	Z-H-9202199
		SEAT, SUSPENSION W/STORAGE	Suspension seat mounted on storage base. 4.3 cubic feet, 0.122 cubic meter capacity. Designed for universal location, but also order M-P-00027 footrest if ordered as a crew seat.	Z-H-7333597

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		SEAT, SUSPENSION, CABIN STBD	Suspension seat mounted on top of a frame base. Designed as coxswains seat.	Z-H-9203598-1
		SEAT, SUSPENSION, CABIN PORT	Suspension seat mounted on top of a frame base, and includes integrated footrest.	Z-H-9203598-4
ELECTRICAL				
	<i>BATTERY</i>			
		BATTERY, 24-750CCA-100RC	Series 24, 750 cold cranking amps, 100 reserve cranking amps. Spiral sealed, or select orbital sealed	Z-H-7348100
		BATTERY, 31-1000CCA-200RC	Series 31, 1000 cold cranking amps, 200 reserve cranking amps. Maintenance free	Z-H-7338198
	<i>SWITCH</i>			
		BAT SWITCH, 2 BAT / 2 SWITCH	Batteries (2) not included.	Z-H-7341392
		BAT SWITCH, 3 BAT / 3 SWITCH	Batteries (3) not included.	Z-H-7341392-1
		DIMMER SWITCH	For dimming Instruments or Compass lights.	Z-H-4404592
	<i>INSTRUMENT</i>			
		BATTERY CONDITION INDICATOR	Works with one or two batteries.	Z-H-4430695
	<i>CHARGER</i>			
		SHOREPWR CHGR, 1-2 BAT, 110/12	Battery charger for 1 or 2 batteries with 110 VAC input, 12 VDC output, 110 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.	Z-H-6488998
		SHOREPWR CHGR, 1-2 BAT, 220/12	Battery charger for 1 or 2 batteries with 220 VAC input, 12 VDC output, 220 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.	Z-H-6488998-1
		SHOREPWR CHGR, 3 BAT, 110/12	Battery charger for 3 batteries with 110 VAC input, 12 VDC output, 110 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.	Z-H-6488998-2
	<i>CIRCUIT PANEL</i>			
		10 CKT ELECTRICAL, EXTRA	Additional panel with 10 breakers.	Z-H-20175
		13 CKT ELEC W/BILGE/HORN	Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn.	Z-H-9206298
		13CKT ELEC W/BILGE/HORN/P&S LT	Includes navigation lights (separate red and green mounted on frame or cabin and white 360 light), bilge pump, and horn.	Z-H-9206298-2
		5 CKT ELEC W/BILGE/HORN	Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn.	Z-H-9206198
	<i>LIGHTS</i>			
		DECK LIGHTS (PAIR)	White. Other colors only available by special order.	Z-H-5335694
		FLOODLIGHTS, JABSCO (PAIR)	Available with frame or t-top only.	Z-H-5905690
		SPOTLIGHT, HANDHELD	Includes marine style accessory plug.	Z-H-4408491
		SPOTLIGHT, REMOTE, ACR HD	Console mounted electric controls. Available with frame or t-top only.	Z-H-7348495
		SPOTLIGHT, REMOTE, GOLIGHT	Console mounted electric controls. Available with frame or t-top only.	Z-H-7338402

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		SPOTLIGHT, REMOTE,HAND CONTROL	Large Perko Hand controlled. Available with large cabin only.	Z-H-9208401
		STROBE EXTENSION, RADAR & SR	Extension for strobe light in conjunction with radar installations, or self-righting systems.	M-P-20604-1
		STROBE, BLUE	Available with frame or t-top only.	Z-H-5903397
		STROBE, BLUE, LIGHT BAR	Tomar 17 inch light bar. Available with frame or t-top only.	Z-H-5333398
		RIAM LIGHTS, RED-WHT-RED	Red-White-Red Lights for vessels Restricted in their ability to maneuver (e.g. diving). Conforms to Collision Regulations. Small mast that mounts on top of frame, cabin, t-top, etc.	Z-H-7380297-2
		TOWLIGHTS,WHT-YEL-WHT,W/MASTDF	White-Yellow-White Lights for vessels Towing or Pushing. Conforms to Collision Regulations. Mounts on top of large cabin only, and includes mount for Direction Finding Antenna.	Z-H-7380297-3
		TOWLIGHTS, WHT-YEL-WHT, W/MAST	White-Yellow-White Lights for vessels Towing or Pushing. Conforms to Collision Regulations. Mounts on top of frame, cabin, t-top, etc.	Z-H-7380297
	MISC			
		BILGE BLOWER	For venting any explosive fumes from the bilge.	Z-H-7339091
		TRIM TABS, ADJUSTABLE, LENCO	Electro-mechanical.	Z-H-7338899
	RECEPTACLE			
		ACCESSORY PLUG, AUTO, 12VDC	Automotive style (Cigarette).	Z-H-4409492-1
		ACCESSORY PLUG, MARINE, 12VDC	Marine style (2 pin).	Z-H-4409492
		RECEPTACLES, 110VAC (PAIR)	2 - 110 VAC Outlets. Available with shore power/charger system only.	Z-H-9208998-1
GENERAL				
	HOISTING			
		SLING, 3 POINT W/SS RING	Polyester sling legs with stainless steel master link. Unit is Certified.	S-L-92003
	MISC			
		BILGE PUMP, MANUAL		Z-H-7333791
		POSI-LATCH W/INSTR ON AL HULL	Bow/keel mounted automatic trailer latch for use with Float-On brand trailers only. Used on aluminum hull boats only.	Z-H-6620900
	MOORING / SECURING			
		ANCHOR PKG W/INSTALL, FORTRESS	Fortress FX11 anchor with shackles, 15 feet of chain, and 150 feet of anchor rode.	Z-H-85004
		TIEDOWN, FLUSH DECK (1)	Flush tie down fitting, please specify location.	Z-H-4727996
		TIEDOWN, FOLDING PADEYE (1)	Folding tie down fitting, please specify location.	Z-H-4737999
	PAINTING			
		BLACKOUT PKG, NO ENGINES	Does not including painting of outboard engines, out drives, or jet housings.	Z-H-73894B

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

		HULL PAINT	Epoxy painting of all exposed interior, and exterior surfaces of aluminum hull. Deck areas that will have non-skid applied are not included. Black, Gray, Orange, or White	Z-H-9208697
	<i>SAFETY</i>			
		FIRE EXT, 5 LB. INSTALLED	Dry Chemical fire extinguisher, USCG approved.	Z-H-4401691
		FLOATATION FOAM, ISO 6185	Flotation foam to meet the capacity requirements of ISO 6185.	G-F-9200099
		FOOT STIRRUPS (PAIR)	Not recommended for use with stand-up consoles.	Z-H-4404191
		REFLECTIVE TAPE KIT W/INSTALL	Reflective tape applied to hull exterior, and collar.	Z-H-7335291
	<i>SHIPPING</i>			
		SHIPPING CRADLE	Wooden shipping cradle.	Z-H-92094SC
		SHIPPING PREPARATION		Z-H-92094SW
	<i>SOLAS</i>			
		SOLAS ANCILLARY EQUIPMENT, CCG	Mandatory ancillary equipment required for CCG approved SOLAS Rescue boats.	Z-H-4723192
	<i>TOWING</i>			
		ROPE GUARD		Z-H-9201294
		ROPE REEL, HIGH W/SHORT HANDLE	Specific unit selection is based on aft frame and/or towing options selected. Rope not included.	Z-H-5931194
		TOWPOST	Deck mounted. May not be available with some aft frame options.	Z-H-9230300
		TOWPOST, TRANSOM MT, TALL, SS	Transom mounted, tall (approximately 27 inches above transom), and stainless steel.	Z-H-9220399-1
FRAMES				
	<i>RADAR</i>			
		FRAME, RADAR		Z-H-9231000
	<i>SELF RIGHTING</i>			
		FRAME, SR W/RADAR PLT, AIR	Includes complete self righting system (air), integrated radar mounting platform, and personnel recovery line.	Z-H-9231400-1
		FRAME, SR W/RADAR PLT, CO2	Includes complete self righting system (carbon dioxide), integrated radar mounting platform, and personnel recovery line.	Z-H-9231400
FUEL				
	<i>TANKS</i>			
		FUEL TANK, 2 TANK / 2 ENG 850L	225 US gallons / 850 liters.	Z-H-9230800
ENGINE				
	<i>OB MOUNTING</i>			
		ENG MOUNT, TWIN W/PDI & TRIALS	Includes mounting of twin engines, engine Pre Delivery Inspections, and a minimum one hour sea trial.	Z-H-5320490

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

<i>PRE-RIGGING</i>				
		PRE-RIG, TWIN HONDA 115 AND UP	Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.	Z-H-6369799-1
		PRE-RIG, TWIN HONDA 75/90	Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.	Z-H-6369799
		PRE-RIG, TWIN MERC	Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-6325799
		PRE-RIG, TWIN MERC OPTIMAX SC	2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 tachometers and speedometer)	Z-H-6325799-5
		PRE-RIG, TWIN MERC OPTIMAX SM	2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 system monitors).	Z-H-6325799-6
		PRE-RIG, TWIN J-E	Bombardier Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-6320599
		PRE-RIG, TWIN YAM 4 + 2STRK90-	Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.	Z-H-6325599
		PRE-RIG, TWIN YAM 2STRK 115 UP	Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.	Z-H-6325599-1
		<i>STEERING</i>		
		STEERING, HYD, FOR HONDA	Single or Twin Engines. Only required on 115 hp or larger.	Z-H-7331898H
		STEERING, HYD, TELEFLEX	Single or Twin Engines.	Z-H-7331898
		STEERING, HYD, TWIN CYLINDER	Twin Engines: 200 hp and larger, or non-counter rotating engines 150 hp and larger.	Z-H-7351898-2

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>